



## Reference Interconnect Offer (RIO)

Voipgate S.A.

January 2019

2014-10-31.1	Version dated October 31, 2014 for public consultation.
2015-02-10.1	Applying regulation 15/186/ILR
2015-10-29.1	Interface clarifications
2016-01-07.1	Added Annex for numbering resources
2017-01-01.1	Applying regulation 16/209/ILR
2018-02-01.1	New tariffs for termination of calls originating outside of the EEA.
2018-06-19.1	Transit service added
2019-01-01.1	Adaptation of tariffs to regulation

---

---

<b>1</b>	<b>INTRODUCTION</b>	<b>5</b>
1.1	SCOPE	5
1.2	SERVICES COVERED	5
1.3	TERMS AND CONDITIONS	5
1.4	RESPONSIBILITY OF CONTENT	5
1.5	VALIDITY	5
1.6	REVIEWS AND AMENDMENTS	5
1.7	APPLICABLE LAW	6
1.8	PRICES	6
<b>2</b>	<b>DEFINITIONS</b>	<b>7</b>
<b>3</b>	<b>INTERCONNECTION ARCHITECTURE</b>	<b>10</b>
3.1	VG SITED TDM INTERCONNECTION	10
3.2	VG SITED IP-CORE INTERCONNECTION	10
3.3	VG SITED IP-EDGE INTERCONNECTION	10
3.4	IXP INTERCONNECTION	10
3.5	SYSTEM ALTERATION	11
3.6	STANDARDS	11
<b>4</b>	<b>TERMINATING ACCESS SERVICE</b>	<b>12</b>
4.1	SCOPE	12
4.2	TARIFFS	12
4.3	CLI	12
<b>5</b>	<b>INTERCONNECTION LINK SERVICES</b>	<b>13</b>
5.1	INTERCONNECTION LINK AND CO-LOCATION	13
5.2	INTERCONNECTION CAPACITY	13
5.3	SIGNALING SYSTEM	13
<b>6</b>	<b>TRANSIT SERVICE</b>	<b>14</b>
<b>7</b>	<b>NUMBER PORTABILITY (NP)</b>	<b>14</b>
7.1	SCOPE	14
7.2	TARIFFS AND BILLING	14
<b>8</b>	<b>QUALITY OF SERVICE OF VG'S INTERCONNECTION SERVICES</b>	<b>15</b>
<b>9</b>	<b>PROCEDURE FOR REACHING AN INTERCONNECTION AGREEMENT</b>	<b>16</b>
<b>10</b>	<b>ANNEXES 1 TO 4</b>	<b>17</b>
<b>11</b>	<b>ANNEX 1 TARIFFS APPLICABLE TO THE TERMINATING ACCESS SERVICE</b>	<b>18</b>
11.1	TARIFFS APPLICABLE TO THE TERMINATING ACCESS SERVICE OF CALLS ORIGINATING WITHIN EEA	18
11.2	TARIFFS APPLICABLE TO THE TERMINATING ACCESS SERVICE OF CALLS ORIGINATING OUTSIDE OF THE EEA	19
<b>12</b>	<b>ANNEX 2 TARIFFS APPLICABLE TO THE INTERCONNECTION LINK SERVICE</b>	<b>21</b>
12.1	TDM INTERCONNECTION	21
12.2	IP INTERCONNECTION	21
12.3	MODIFICATION OF INTERCONNECTION LINKS	22
<b>13</b>	<b>ANNEX 3 TARIFFS FOR NUMBER PORTABILITY (NP)</b>	<b>23</b>
13.1	TARIFF AND PRICING	23
13.2	ROUTING OF PORTED NUMBERS AND ROUTING ERRORS	23
<b>14</b>	<b>ANNEX 4 TARIFFS FOR SPECIAL SERVICES OFFERED TO OPERATORS</b>	<b>24</b>

---

---

---

---

14.1	CALLS TO 800 NUMBER TERMINATED IN THE VG NETWORK (TOLL-FREE, FREE-PHONE) .....	24
14.2	TERMINATING ACCESS SERVICE TO SHARED REVENUE NUMBERS (PREMIUM RATE SERVICE – 90X) .....	24
<b>15</b>	<b>ANNEX 5 VOIPGATE NUMBERING RESOURCES .....</b>	<b>26</b>
15.1	GEOGRAPHIC NUMBERS .....	26
15.2	TOLL-FREE NUMBERS .....	26
15.3	SHARED REVENUE NUMBERS.....	26
<b>16</b>	<b>ANNEX 6: TARIFFS FOR TRANSIT SERVICES .....</b>	<b>28</b>
16.1	ROUTING OF TRANSIT TRAFFIC TO GEOGRAPHIC NUMBERS.....	28
16.2	ROUTING OF TRANSIT TRAFFIC TO NON-GEOGRAPHIC NUMBERS .....	28

## **1 Introduction**

### **1.1 Scope**

This Reference Interconnect Offer (RIO) defines the interconnection terms and conditions (including the list of the interconnection services) which Voipgate (VG) will apply to all Operators in order to allow end-users who are connected to the system of an Operator to communicate with end-users who are connected to the telecommunication networks of VG, or services accessible through VG's system and vice versa. This RIO focuses mainly on voice services.

### **1.2 Services covered**

The services covered by this RIO are:

- Terminating access service;
- Interconnection link service;
- Number Portability;
- Special Services Offered to Operators.

### **1.3 Terms and Conditions**

This RIO defines the minimal interconnection terms and conditions which VG will grant to other Operators. Nevertheless, VG reserves the right to provide more beneficial terms and conditions, in accordance with the applicable regulatory framework, including the principle of non-discrimination.

### **1.4 Responsibility of content**

No Operator shall be responsible for the content of calls passed through his own or an interconnected Operator's network. Luxembourgish laws and regulations regarding confidentiality and access by legal authorities to calls on the Operator's and VG's network will apply.

### **1.5 Validity**

This RIO is valid from January 1, 2019 unless

- A new RIO is published, or
- A material change occurs in the laws or regulations, governing telecommunications in Luxembourg.

This RIO shall remain in full force and effect after January 1, 2019 until such time a new RIO into force.

### **1.6 Reviews and Amendments**

The content of this RIO may be reviewed and amended in order to comply with applicable rules and regulations. Furthermore, the ILR reserves the right to request or impose on VG modifications to the RIO or the adoption of a new RIO to be undertaken by VG.

### **1.7 Applicable Law**

Unless defined otherwise, the terms used in this RIO must be interpreted in accordance with the Luxembourgish Law of February 27th, 2011 on Networks and Electronic Communication Services (the "Law") and its implementing regulations.

### **1.8 Prices**

All prices mentioned in this RIO, including those specified in the Appendices attached hereto, are in EURO (€) and exclusive of Value-Added Tax (VAT) or any other legal taxes, which will be added where applicable.

## **2 Definitions**

### **2.1.1 Call**

The establishment of a connection through a telecommunications network and the transmission and the delivery of a signal from the terminal on which this signal was generated to the terminal to which this signal is addressed or to a network platform or any other facility giving an automatic answer in those cases where the connection cannot be established.

### **2.1.2 Calling Line Identification (CLI)**

The CLI is the number of the calling user conveyed by each Operator's network for each call, it may also be provided by the network or partly by the calling user. This information is flagged either as "network- provided" or as "user provided, verified and passed". If the verification of a user provided CLI fails, the network- provided CLI would be transmitted.

### **2.1.3 Calling Line Identification Presentation (CLIP)**

Supplementary service provided for in ITU-T Recommendation I.251.3.

### **2.1.4 Calling Line Identification Restriction (CLIR)**

Supplementary service provided for in ITU-T Recommendation I.251.4.

### **2.1.5 Capacity of the Interconnection Link**

The capacity defined for the Interconnection Link and the corresponding VG access point to which the Operator wishes to be connected.

### **2.1.6 EEA**

European Economic Area

### **2.1.7 ILR**

Institut Luxembourgeois de Régulation.

### **2.1.8 Interconnection**

The interconnection with VG, as defined by the Law.

### **2.1.9 Interconnect Agreement**

An agreement between VG and an Operator, which defines the conditions for the Interconnection.

### **2.1.10 Interconnection Link**

A Link between a VG Access Point and an Operator Access Point for the provision of Interconnection traffic.

### **2.1.11 Interconnection Service**

Services described in the present Reference Interconnect Offer.

### **2.1.12 International Public Telecommunication Number**

Defined as in ITU-T Recommendation E.164.

#### **2.1.13 IP**

Internet Protocol version 4 (RFC 791) and Internet Protocol version 6 (RFC 2460)

#### **2.1.14 IXP**

Internet Exchange Point

#### **2.1.15 KPI**

Key Performance Indicator

#### **2.1.16 Link**

Set of telecommunications facilities necessary to establish one or more transmission paths between two locations.

#### **2.1.17 National (Significant) Number**

Defined as in ITU-T Recommendation E.164.

#### **2.1.18 Number portability**

The case where a subscriber retains its originally assigned directory number when changing from one network Operator (Donor network; Donor Operator) to another (recipient network; Recipient Operator) and is not related to changing the nature of service nor the location.

#### **2.1.19 Operator**

Any person exploiting telecommunications networks and/or providing telecommunications services in Luxembourg.

#### **2.1.20 Operator Access Gateway Exchange**

An Operator exchange directly connected to an Operator Access Point at which calls are initially switched in the Operator System, when conveyed from the VG Access Point, or finally switched in Operator System when conveyed to the VG Access Point.

#### **2.1.21 Operator Access Point**

The physical interface within the Operator's System at which the Interconnection Services can be obtained.

#### **2.1.22 Parties**

VG and the Operator with which an Interconnection Agreement is (or is being) concluded.

#### **2.1.23 Point of Interconnection (POI)**

The physical point on the Interconnection Link where the telecommunications network of VG and the Operator's System are interconnected. The POI is the boundary between VG and the Operator domains of responsibility.

#### **2.1.24 Reference Interconnect Offer (RIO)**

The present offer for Interconnection Services.



#### **2.1.25 System**

All equipment and software which, an Operator uses to provide his telecommunications services.

#### **2.1.26 SLA**

Service Level Agreement

#### **2.1.27 SIP**

SIP, the session initiation protocol, is the IETF protocol for VoIP and other text and multimedia sessions.

#### **2.1.28 TDM**

Time-division multiplexing is a method of transmitting and receiving independent signals over a common signal path by means of synchronized switches at each end of the transmission line so that each signal appears on the line only a fraction of the time in alternating pattern.

#### **2.1.29 VG Access Gateway Exchange**

A VG exchange directly connected to an VG Access Point at which calls are initially switched in the telecommunications network of the VG, when conveyed from the Operator Access Point, or finally switched in the telecommunications network of the VG when conveyed to the Operator Access Point.

#### **2.1.30 VG Access Point**

The physical interface within VG's System from which the Interconnection Services can be obtained.

## 3 Interconnection Architecture

### 3.1 VG sited TDM Interconnection

VG has one (1) site that has been designed for use as TDM Interconnection Access Point ground of its optimal network integration. This is an existing VG site, containing relevant switching and transmission equipment with all digital functionality.

VG TDM Interconnection point address:

- 8 rue Henri M Schnadt, L-2530 Luxembourg (DATA4 Luxembourg – DCC)

As of December 1, 2014, Voipgate is not going to install new TDM Interconnections.

### 3.2 VG sited IP-Core Interconnection

VG has two (2) sites that have been designed for use as IP-Core Interconnection Access Points grounds of their optimal network integration. These are existing VG sites, containing relevant IP switching, routing and equipment.

VG IP-Core Interconnection point addresses:

- 4 rue A. Graham Bell, L-3235 Bettembourg (LuxConnect DC 1.2)<sup>1</sup>
- 3 rue Pierre Flammang, L-8399 Windhof (eBRC – RCW)

The Operator can either use both or selects only one Interconnection Access Point at which he wants to interconnect his System

### 3.3 VG sited IP-Edge Interconnection

VG has two (2) sites that have been designed for use as IP-Edge Interconnection Access Points grounds of their optimal network integration. These are existing VG sites, containing relevant IP switching, routing and equipment.

VG Interconnection point addresses:

- 8 rue Henri M Schnadt, L-2530 Luxembourg (DATA4 Luxembourg –DCC)
- Z.A.C. Klengbousbiert, L-7795 Bissen / Roost (LuxConnect DC 2)

The Operator can either use all or selects only one or two Interconnection Access Point at which he wants to interconnect his System

### 3.4 IXP Interconnection

VG has one (1) site that has been designed for use as IXP Interconnection Access Points grounds of its optimal network integration. This is an existing IXP, containing relevant IP switching, routing and equipment,

VG IPX Interconnection point location :

- Luxembourg Commercial Internet Exchange (LuCIX)

---

<sup>1</sup> Operator may provide cross-connect to DC1.1 or DC1.3 at own expenses.

---

### 3.5 System Alteration

If VG wishes to make a system alteration, it shall give the connected Operators and the ILR no less than 6 months' written notice prior to the date of the anticipated system alteration. The notice shall specify the technical details of the system alteration and the date of the anticipated system alteration. Following such notification VG shall supply to the connected Operators such information as the connected Operator may reasonably request including, to the extent reasonably practicable, the potential impact on the service provided by the connected Operator to the End Users.

### 3.6 Standards

Where relevant for interconnection with VG, the following hierarchy of standards and procedures will apply:

- Any legal requirements
- IETF RFC documents
- ETSI standards
- ITU-T Recommendations
- National standards
- Any other international standards

## **4 Terminating access service**

### **4.1 Scope**

The terminating access service conveys a call handed over from the Operator's System, at an VG Access Point for termination on any national number of VG network. Tariffs may be different for different categories of services identified by different number ranges.

### **4.2 Tariffs**

The tariffs applied by VG for the provision of the terminating access service are indicated in Annex 1. Only calls that have been setup successfully and answered will be charged. The charging time starts with the answering signal and ends with the first clear signal generated either by the calling or the called party.

### **4.3 CLI**

Whenever CLI is transferred to the telecommunications network of VG, VG will not communicate such CLI to an end-user if such CLI is marked as CLIR unless the call is directed to an emergency number.

## **5 Interconnection Link Services**

The interconnection link service consists in the physical linking between a VG Access Point and an Operator Access Point.

The Operator must interconnect to a VG Point of Interconnection as defined in paragraphs 3.1, 3.2, 3.3 and 3.4. The charges per interconnect site are defined in Annex 2.

### **5.1 Interconnection Link and Co-Location**

For VG-sited and IXP interconnections, VG can provide a custom offer for an Interconnection Link Service or the Operator will supply and operate an Interconnection Link in its entirety.

VG will provide access to the Operator at its site for the installation and maintenance of the Operator's transmission equipment used in direct relation with the interconnect services, electric power and safekeeping.

In its request for VG-sited interconnection, the Operator will describe his needs regarding the installation of his transmission equipment on the premises of VG. Whenever VG determines that a VG-sited and an IXP interconnection is not reasonably feasible, it will inform the Operator and the ILR of the reasons of such unfeasibility within 15 days of receiving the request. VG will comply should the ILR find that VG-sited interconnection is reasonably feasible. In case of non-feasibility of VG-sited Interconnection, VG will cooperate with the Operator to find an appropriate alternative solution.

For the provision of the co-location facilities, the conditions and prices are subject to a separate offer.

### **5.2 Interconnection Capacity**

The Operator is responsible for the dimensioning of the Interconnection Links capacity required for the conveyance of its own traffic. An Operator's own traffic consists in the traffic for which the Operator is billed by VG.

### **5.3 Signaling System**

#### **5.3.1 TDM Interconnection**

The signaling systems between VG and the Operator shall be based, where relevant, on the ITU-T SS7 protocols, ISUP Blue Book version or other protocols to be agreed upon between the Operator and VG.

As of December 1, 2014, Voipgate is not going to install new TDM Interconnections.

#### **5.3.2 IP Interconnection**

The signaling systems between VG and the Operator shall be based on the IETF SIP protocol.

At the transmission levels, the interconnection is based on IP Networks.

## 6 Transit Service

The transit service is the Interconnection Service whereby VG routes traffic handed over from one interconnected Operator's System and transmitted to another interconnected Operator's System on its telecommunications network.

VG will ensure the transparent communication of all signaling information (including CLI-related), which was communicated to it in relation to the handing-over of traffic.

The tariffs for the transit service are defined in Annex 6.

Basically, VG will provide settlement in cascade. The terminating charge to the third party's network and the charges for the settlement in cascade are included in the transit tariffs as defined in Annex 6.

## 7 Number Portability (NP)

### 7.1 Scope

Number portability (NP) is applicable under the conditions defined by the document DOC-NP-ILT which describes the procedures applicable to number portability in Luxembourg (the NP-Document).

As defined by the NP-Document, the Recipient Operator transmits the electronic file containing the requested data to VG by means of an electronic messaging system. The transmission of the electronic files can be operated between 06.00 and 18.00 hours from Monday to Friday, except legal and public holidays. VG will acknowledge receipt of the transmission file by means of the same electronic messaging system.

As defined in the NP-Document, requests can be transmitted in timeframe T1+n .. T1+m. For VG, n=2 days and m = 16 weeks.

NP will be activated by the VG from Monday to Friday from 8.00 to 12.00 and 13.00 to 17.00 hours except legal and public holidays in Luxembourg. This time schedule may be extended to 7.00 to 19.00 hours on Monday to Friday and 8.00 to 12.00 hours on Saturday with the supplementary costs to be paid by the Recipient Operator.

### 7.2 Tariffs and Billing

Tariffs of number portability will be those defined in Annex 3.

Billing procedures will be as described in the Porting Agreement between the Parties.

## **8 Quality of service of VG's Interconnection Services**

As far as the terminating access service is concerned, VG undertakes to ensure for its own System a network failure rate, which does not exceed 1,5% as a nation-wide 3 months average, for failures which are exclusively due to its System. Network failure rate is the ratio between the number of calls handed over by an Operator to be terminated on VG's Network and failed due to insufficiencies in VG Network and the total amount of calls handed over by that Operator to be terminated on VG's network (excluding, in particular, failures due to end-user behavior and failure of terminal equipment).

In the unlikely event of disturbance of the conveyance of traffic within its System, VG may be constrained to implement the classical measures of traffic regulation (limiting channels, etc.) in order to limit its effect on the quality of the service provided to its customers as well as to the Interconnected Operators. The target figures given above for network failure rate do not include failures that are caused by the mentioned Measures of traffic regulation. The Operator and the ILR shall be informed if the above-mentioned measures for traffic regulation have to be applied and how long they may last.

VG shall respect the quality conditions as they are defined in the applicable legal regulation and in accordance with the quality VG provides for its retail clients.

## **9 Procedure for Reaching an Interconnection Agreement**

Interconnection agreements shall be negotiated and reached according to the general modalities for interconnection as determined by the ILR (Article 23 of the Law).

VG may demand the delivery of a bank guarantee on first demand of a Luxembourg based bank of 25.000,-- € in favor of VG for the provisioning of the interconnect service.

VG may also without prejudice to previous arrangements demand payment in advance.

Requests for interconnection services shall be made in writing to the following address:

Voipgate S.A.  
Office of the CIO  
4 rue Graham Bell  
L-3235 Bettembourg  
T: +352 20200200  
F: +352 20300300  
@: itx@support.voipgate.com



## **10 Annexes 1 to 7**

All prices mentioned here after are given exclusive of VAT or any other legal taxes, which will be added where applicable.

## 11 Annex 1 Tariffs applicable to the terminating access service

### 11.1 Tariffs applicable to the terminating access service of calls originating within EEA

The tariffs for the terminating access service are defined in accordance with ILR regulation 16/209/ILR. Unless defined otherwise in future amendments of the present RIO, the tariffs will be automatically adapted at the start of a new billing period as featured in the following tables.

The tariffs in the following paragraph 11.1.1. of this RIO only apply to the termination of voice calls originating within the EEA, provided that the calling number can be identified as belonging to a numbering plan of one of the countries of the EEA.

#### 11.1.1 Terminating access service to geographic numbers

From January 1, 2019

	Call setup €cts	Charge per minute <sup>1</sup> €cts
peak <sup>2</sup>	0,00	0,138
off-peak <sup>3</sup>	0,00	0,138

Tariffs and billing arrangements for terminating access service to numbers not determined in the present RIO may vary according to the technical implementation chosen for the interconnection. In any circumstance, the tariffs will be cost based and non-discriminatory.

## **11.2 Tariffs Applicable to the terminating access service of calls originating outside of the EEA**

VG will apply, based upon the country of the calling party number, a surcharge for the termination in its network according to the following rules:

1. Termination of calls with A-Number belonging to any of the country codes included in Table 1: VG will not apply any surcharge.
2. Termination of calls with A-Number not belonging to any of the country codes included in Table 1, with no A-number (no CLI), with incorrect A-Number (either in format or content), invalid A-Number, modified or manipulated A-Number: VG will apply a surcharge of 12,60 €cts/min.

These surcharges will be applied in addition to the termination rate specified in paragraphs 11.1.1 of this RIO.

Table 1

<b>Destination Zone</b>	<b>Destination Detail</b>	<b>Prefix</b>
AUT	Austria	+43
BEL	Belgium	+32
BGR	Bulgaria	+359
CYP	Cyprus	+357
CZE	Czech Republic	+420
DNK	Denmark	+45
EST	Estonia	+372
FIN	Finland	+358
FRA	France	+33
DEU	Germany	+49
GRC	Greece	+30
HUN	Hungary	+36
ISL	Iceland	+354
IRL	Ireland	+353
ITA	Italy	+39
LVA	Latvia	+371
LIE	Liechtenstein	+423
LTU	Lithuania	+370
LUX	Luxembourg	+352
MLT	Malta	+356
NLD	Netherlands	+31
NOR	Norway	+47
POL	Poland	+48
PRT	Portugal	+351
ROU	Romania	+40
SVK	Slovakia	+421
SVN	Slovenia	+386
ESP	Spain	+34
SWE	Sweden	+46
GBR	United Kingdom	+44

Table 1 : No surcharges will be applied for the termination of voice calls originating in these countries.

## **12 Annex 2 Tariffs applicable to the interconnection link service**

### **12.1 TDM Interconnection**

Annual fee per E1 (120  $\Omega$  RJ45) Interface (annual costs for the access point equipment and maintenance):

- 1.713,--€

Monthly charge per used Interconnect Site (covering billing, maintenance and service quality control):

- 210,--€

For the provision of co-location facilities, when required, the conditions and prices are subject to a separate offer.

As of December 1, 2014, Voipgate is not going to install new TDM Interconnections.

### **12.2 IP Interconnection**

One-off charge per Operator (covering installation and testing):

- 8.149,-- €

Annual fee per 30 channels (annual costs for the access point equipment and maintenance):

- 1.713,--€

Monthly charge per used Interconnect Site (covering billing, maintenance and service quality control):

- 210,--€

For the provision of co-location facilities, when required, the conditions and prices are subject to a separate offer.

### 12.3 Modification of Interconnection Links

The establishment, the modification and the cancellation of trunks, as well as the connection or disconnection of circuits or signaling links required by an Operator, are charged to this Operator if these changes apply to existing interconnect trunks.

The necessary changes related to the extension on an existing interconnect trunk by adding supplementary interconnect links are not charges to the operator.

Establishment of a new trunk

- IP: 646,--€

As of December 1, 2014, Voipgate is not going to install new TDM Interconnections.

Modification or cancellation of an existing trunk

- 485,--€

Connection or disconnection of links

- 161,--€

Connection or disconnection of a signaling link

- 323,--€

## **13 Annex 3 Tariffs for Number Portability (NP)**

### **13.1 Tariff and pricing**

Standard tariffs applicable to Number Portability.

Activation fee for number portability per number activation:

- 14,38€

### **13.2 Routing of ported numbers and routing errors**

VG does not provide corrective routing for conveyance of traffic to inconsistent or erroneous codes outside of VG's network.

Additional conveyance fee per minute for inconsistent or erroneous codes if the volume of inconsistent or erroneous codes exceeds the percentage of 1% of the total calls to ported numbers:

- 0,63€cts

---

## 14 Annex 4 Tariffs for Special Services offered to Operators

### 14.1 Calls to 800 number terminated in the VG network (Toll-Free, Free-Phone)

This service consists in the conveyance by VG of Calls handed over by an Operator at a National Point of Interconnection between the Operator's System and VG System for termination on VG System, on one of VG's Free phone numbers in accordance with the National Numbering Plan of Luxembourg. The rates to be paid by VG for Terminating Access Service to VG's Free phone numbers are as specified below:

	Origin	Call setup €cts	Charge per minute €cts
peak	fixed	0,00	0,28
	mobile	0,00	1,11
	payphone	0,00	0,28
off-peak	fixed	0,00	0,28
	mobile	0,00	1,11
	Payphone	0,00	0,28

### 14.2 Terminating Access service to Shared Revenue Numbers (Premium Rate Service – 90x)

This service consists in the conveyance by VG of Calls handed over by the Operator at a National Point of Interconnection between the Operator's System and VG System for termination on VG System, on one of VG's Shared revenue numbers in accordance with the National Numbering Plan of Luxembourg.

#### 14.2.1 Premium rate services on duration basis (price per minute)

	Charge per minute €cts	Billing period (in seconds)
Level 0	0,79	60
Level 1	10,26	30
Level 2	17,82	30
Level 3	29,42	30
Level 4	48,77	30
Level 5	64,25	20
Level 6	87,47	20
Level 7	153,25	20



**14.2.2 Premium rate services on call basis (price per call)**

	Charge per call €cts	Maximum call duration (in seconds)
Level 1	7,91	30
Level 2	17,59	30
Level 3	36,93	30
Level 4	56,28	30
Level 5	114,32	30
Level 6	172,37	30
Level 7	230,41	30
Level 8	462,59	30

## 15 Annex 5 Voipgate numbering resources

### 15.1 Geographic numbers

20200  
20201  
20202  
20203  
20204  
2050  
2071  
2072  
2722  
2772  
2779

### 15.2 Toll-Free numbers

80080

### 15.3 Shared Revenue numbers

90020  
90047  
90120  
90144  
90520

#### 15.3.1 Charges applicable to Shared Revenue Numbers

##### 15.3.1.1 Premium rate services on duration basis

Charges applied according to 14.2.1

Level 0	90089
Level 1	90y201
Level 2	90y207
Level 3	90y203
Level 4	90y204, 90y208
Level 5	90y205
Level 6	90y202, 90y209, 90y47
Level 7	90y200, 90y206

y = 0,1 or 5

**15.3.1.2 Premium rate services on call basis**

Charges applied according to 14.2.2

Level 1

Level 2

Level 3

Level 4

Level 5

Level 6

Level 7

Level 8

y = 0,1 or 5

## 16 Annex 6: Tariffs for transit services

Routing of interconnect traffic from an interconnected Operator's network to another interconnected Operator's network using VG's transit services.

The activation of transit interconnect routes per operator to be reached in transit will be billed at a rate of:

- 181,00€

The maintenance of the transit relations per call case per month will be billed at a rate of:

- 1,08€

### 16.1 Routing of transit traffic to geographic numbers

Transit from one Operator's network to another Operator's network	Call setup €cts	Charge per minute €cts
Peak	0,04	0,36
Off-peak	0,02	0,26

### 16.2 Routing of transit traffic to non-geographic numbers

Transit from one Operator's network to another Operator's network	Call setup €cts	Charge per minute €cts
Peak	0,23	0,39
Off-peak	0,21	0,29

## 17 Annex 7: Numbering resources reachable via Transit service

### 17.1 Mobile numbers

#### 17.1.1 MTX Connect

Tariff Reference: MTX Connect RIOM

6000

655

---

<sup>1</sup> To be billed on a per nearest second basis.

<sup>2</sup> Peak: worked days between 8.00 and 19.00.

<sup>3</sup> Off-peak: time outside peak.